

**AZAD GOVT. OF THE STATE OF JAMMU & KASHMIR  
OFFICE OF COMMISSIONER INLAND REVENUE (DT)/HOD  
MUZAFFARABAD (AJ&K)**

**TENDER NOTICE**

The Department of Inland Revenue, AJ&K intends to purchase the following items as per PPRA rules Single Stage-Single Envelope Procedure from Sales Tax and Income Tax Registered Company also included in Active Taxpayer List according to the below mentioned Terms and Conditions.

S. No.	Items	Quantity
1	Server (s) - branded	2
2	OS: Windows Server (s)	2
3	Firewall	1
4	Standby Power Generator - branded	1
5	PVC RFID card Printers (with security features)	1
6	Printer (s) Heavy duty - branded	21
7	Hypervisors	1
8	Scanner(s) -branded	3
9	Camera(s) -branded	4
10	Desktop (s) / CPU(s) -branded	40
11	OS: Windows 10 64 bit	40
12	UPS 1000VA / 800W -branded	40
13	UPS 3KVA - branded	2
14	Network Points	9
15	Networks Switch(s) -branded	30
16	Ports Patch Panel(s)	6
17	Bio-metric Machine(s) - branded	6
18	Wi-Fi router(s) -branded	25
19	Data Cabinet 12U	1
20	Patch Panel 24 ports	1
21	Fax Machine(s)	2
22	Laptop PC(s) -branded	20
23	Computer Table(s)	40
24	Computer Chair(s)	40
25	Digital Multi-function Photocopier Machine(s) - branded	2

**Terms and Conditions**

- Tenders should be accompanied with GST, NTN Certificates.
- Bid document can be obtained from the Administrative Officer, Office of Commissioner Inland Revenue (DT)/HOD, Muzaffarabad.
- Call Deposit/Pay Order equal to Rs. 1.455 million (5% of the estimated value of procurement) in favor of Administrative Officer, Office of Commissioner Inland Revenue (DT)/HOD, Muzaffarabad.
- The sealed tenders should reach the undersigned by Thursday, 02<sup>nd</sup> June 2022 at 11.00 a.m.
- Tenders will be opened in the presence of bidders at 12:00 p.m. on the same day.
- The successful bidders shall be required to supply the requisite items within shortest possible time of placing the order.
- The supplier shall deliver the items at office of Commissioner, Inland Revenue (DT)/HOD, Muzaffarabad (AJ&K) at his own cost.
- The supplier will provide warranty (free service & maintenance) of the equipment for one year on site i.e. Inland Revenue Field Offices across AJ&K.
- The supplied items will be specifically inspected and the supplier will be required to demonstrate (if required) the functionality of the Hardware before the Purchase Committee.
- The billed amount shall be paid to the supplier subject to a satisfactory report of the Committee.
- All taxes and other levies applicable in AJ&K shall be charged under relevant rules/laws.
- The Competent Authority reserves the right to reject any or all tenders without assigning reasons in terms of AJ&K Public Procurement Rules 2017.
- The purchase process will be governed under relevant provisions of AJ&K Public Procurement Rules 2017.
- Black listed Firms/Companies are prohibited for participation and all bidders shall furnish an affidavit/certificate that they are neither black listed nor in conflict with Government anywhere in territory of the State of the AJK, GB or Islamic Republic of Pakistan.
- Advertisement is also available on AJ&K PPRA website (<https://ajk.ppra.gov.pk>).
- Evaluation Report/Award of Contract shall also be displayed at AJKPPRA website.
- The bid shall be accompanied by relevant experience and past performance, capabilities with respect to personnel, equipments, financial position, appropriate managerial capacities of the company in the relevant field.
- The bidder shall furnish duly filed Tax Returns along with annexure(s) for the last three years.
- The successful bidder will have to deposit the 10% of the bid value as performance guarantee.
- Further, Terms and Conditions mentioned in the bid document shall also apply.

(Zahid Aslam)

Secretary Purchase Committee/Admin Officer  
Office of Commissioner Inland Revenue (DT)/HOD, Muzaffarabad  
Ph: 05822-920627 Fax: 05922-920731

**AZAD GOVT. OF THE STATE OF JAMMU & KASHMIR  
OFFICE OF COMMISSIONER INLAND REVENUE (DT)/HOD  
MUZAFFARABAD (AJ&K)**

**BID DOCUMENT**

The Department of Inland Revenue, AJ&K intends to purchase the following items as per AJ&K PPRA rules Single Stage-Single Envelope Procedure from Sales Tax and Income Tax Registered Companies/Firms also included in Active Taxpayer List according to the below mentioned Terms and Conditions.

Sr. No.	Items	Specifications	Cost per Unit Rs.	Qty	Total Rs.
1	Server (s) HP or equivalent/Higher	Database Server High Capacity for CMVRS TPM: 2.0 Chassis: 2.5" with upto 8 Hot Plug Hard Drives Xeon Silver 16 C Processor: 9.6 GT/s, 13.75 M Cache, Turbo, HT (85W) DDR4-2400 Memory: 64GB RDIMM, 3200 MT/s dual Rank Memory Configuration Type: Performance Optimized RAID: C2, RAID 0 HDDs or SSDs (matching Type / Speed/ Capacity) Internal Storage Controllers: PERC H330 RAID Controller, LP Hard Driver: 1TB X 3 SSD SATA read Intensive 6Gbps 512 2.5 in Hot-plug AG Drive, 1DWPD, 1752 TBW, 3XHDD 1 TB ESM: Idrac9, Enterprise Additional Network Cards: On-Board Broadcom 5720 Dual Port 1Gb LOM Broadcom 5720 Dual Port 1GbE Network LOM Mezz Card Internal Optical Driver: DVD+/- RW SATA, Internal Power Supply: Dual, Hot Plug, Redundant Power Supply (1+1), 550W Power Cords: NEMA 5-15P to C13 Feet (3m), Power Cord, North America Advance System Configurations: UEFI BIOS Boot Mode with GPT Partition Technical Support: 3 years technical Support OR Higher		2	
2	Operating System	Windows Server ® 2019 Standard, 16 CORE, F1, Multi Language		2	
3	Firewall	<ul style="list-style-type: none"> <li>Enterprise Class State-full Next Generation Firewall</li> <li>Must be among leaders/challengers in Gartner NGFW MQ and NGIPS MQ</li> <li>Required 8 x 1GE RJ45 and 4x1G SFP interfaces</li> <li>Required NGFW + NGIPS (threat protection) throughput 1.5 Gbps at 1024Bytes</li> <li>The NGFW throughput must be at least 30% of</li> </ul>		1	

*[Handwritten signatures and initials on the left margin]*

*[Handwritten signatures and initials at the bottom left]*

the firewall throughput. Note: The throughput should not assume any traffic to be bypassed from the IPS

- Required maximum L7 concurrent session 200,000
- Required AC power supply
- The proposed firewall should support Active/Standby clustering
- NGIPS with full contextual awareness of users, infrastructure, applications, and content to detect multi-vector threats
- Required granular Application Visibility and Control with support for more at least 4,000 applications
- Required NGIPS signature for at least 16,000 with the ability to add custom signatures
- The firewall should have at least 200GB of storage for event logs, malware files, IPS signatures, etc.
- The proposed firewall should seamlessly migrate the policies present on the existing ASA5555 firewall using automatic migration tools. Proposed vendor to identify the migration tool that they will use
- Detection of Geo location of IP Addresses
- The firewall should support SSL decryption to enforce NGFW & NGIPS policies
- Should support IPSEC throughput of at least 1Gbps with 150 VPN peers
- SSL decryption throughput of at least 700 Mbps should be supported
- The firewall should support rate-limiting traffic on the basis of users, applications, AD groups, etc.
- Integrate with Microsoft Active Directory Server for implementing user-based application access control
- Support creation of security policy based on AD Users and Groups in addition to source/destination IP
- Support AAA, RADIUS, SNMP
- The firewall should be able to identify application protocol correctly without decrypting TLS1.3
- Automated threat feed and IPS signature updates
- OpenAppID support for custom, open source, application detectors
- Integration with Snort and OpenAppID - Open

*[Handwritten signatures and notes in the left margin]*

source security integration with Snort and OpenAppID for access to community resources and ability to easily customize security to address new and specific threats and applications quickly

- Full contextual awareness policy enforcement based on complete visibility of users, mobile devices, client-side applications, communication between virtual machines, vulnerabilities, threats, and URLs
- Allow administrators to create custom IPS signatures
- When an IPS signature is matched, the following configurable actions can be automatically taken:
  - Detailed attack logging with hyperlink to IPS encyclopedia references
  - In-built email alerts
  - SNMP traps
  - Packet logging for forensic studies
  - Pass, block or reset sessions
- Three Year Subscription for NGFW, NGIPS and Advance Malware required for threat intelligence and TAC/Software/Hardware Warranty & Support
- The principal should have local spare depots in Pakistan with NBD RMA replacement

Centralized Management, Monitoring & Reporting: Qty 1

- Centralized security management console and database repository for event and policy management of NGFW and Advance Malware Detection and Prevention
- Centralized configuration, logging, monitoring, and reporting for NGFW and Advance Malware Detection and Prevention
- Centrally manage network security and operational functions, including event monitoring, analysis, incident prioritization, and reporting.
- Should be a physical appliance with redundant AC power supply
- Should have capacity to store 10Million IPS events and 5000 event per second capacity
- Required Centralized Management should have the capacity to support 10 Appliances
- Provide full stack visibility including physical and virtual hosts, operating systems, applications, services, protocols, users, geo-

*[Handwritten signatures and initials in the left margin]*

*[Handwritten signatures at the bottom left]*

		<p>location information, content, and network behavior as well as network attacks and malware trajectory</p> <ul style="list-style-type: none"> <li>• Provide full stack visibility covering breadth of contextual awareness including             <ul style="list-style-type: none"> <li>○ Threats</li> <li>○ Users</li> <li>○ Web Applications</li> <li>○ Client applications</li> <li>○ Application protocols                 <ul style="list-style-type: none"> <li>▪ File transfers</li> <li>▪ Malware</li> <li>▪ CNC servers</li> <li>▪ Network servers</li> <li>▪ Server/host operating system</li> <li>▪ Mobile devices</li> <li>▪ Virtual machines</li> </ul> </li> </ul> </li> <li>• Role-based device user management</li> <li>• Should be capable of generating reports on a manual ad-hoc or schedule (daily, weekly, monthly, etc) basis.</li> <li>• Correlation and remediation features for real-time threat response</li> <li>• Network behavior and performance monitoring</li> <li>• The solution should be able to send email alert messages</li> <li>• The management platform must include an integration mechanism, preferably in the form of open APIs and/or standard interfaces, to export SNMP information to network management systems.</li> <li>• 3 Years TAC/Software/Hardware Warranty &amp; Support.</li> </ul>			
4	Standby Power Generator Siemens or Equivalent	Digital LCD Display, 50 kVA, OR Higher Canopy, Soundproof, Padding, Installation, 50 meter cable, Three phase AC Auto switching etc.		1	
5	PVC RFID card Printers (with security features)	<p>Specification For 300dpi</p> <p>Print Method: Dye-Sublimation Retransfer</p> <p>Print Mode: Double-Sided over-the-edge Retransfer Printing</p> <p>Print Resolution: 300 dpi</p> <p>Print Speed: Up to 102 cards per Hour or Higher</p> <p>Card Types: PVC, Composite PVC, ABS, PET and Polycarbonate Cards of ISO ID -1/CR-80 size (85.60 x 53.98 mm)</p> <p>Card Thickness: 0.25 - 1.02 mm</p> <p>Input Hopper Capacity: Minimum 200 cards or Higher</p> <p>Output Hopper Capacity Minimum is 100 cards or</p>		1	

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

		<p>Higher Interface USB 2.0 and Ethernet                  Operating System Support Windows 7, 8, 10 (32 &amp; 64bits)                  Lamination Method: Thermal Transfer                  Lamination Mode: Double-sided (simultaneously)                  Lamination Speed: 16 – 30 seconds per card (single- or double-sided)                  Temperature Settings: 90°C – 180°C adjustable in 5°C steps                  Power Supply 100/120 V and 220/240 V, 50/60 Hz                  Warranty Printer: 36 months                  Printhead: Lifetime Warranty                  Ribbon Specs                  Full Color YMCK Ribbon                  Minimum 1000 Images / Roll or Higher                  Retransfer Film                  Art Retransfer Film                  Minimum 1000 images / Roll or Higher                  Customize Holographic Lamination Roll                  Minimum 1000 Laminates / Roll or Higher</p>			
6	Printer(s) – Heavy duty HP or equivalent	Upto 38 ppm, HP Fast Res 1200, HP Pro Res 1200, 600 dpi OR Higher			21
7	Hypervisors	Hypervisor 16C management Licenses			1
8	Scanner(s) HP or equivalent	Multiple size Paper Scanner, 1200 DPI, Multiple scan file format, 30 PPM, 1500 pages daily, USB Port, 64 MB Memory OR Higher			3
9	Camera(s) Branded	Full HD, Auto Focus, Audio Video recording, 8.0 mega pixel, or higher compatible with existing application OR Higher			4
10	Desktop CPU(s)/ Computers HP Tower or equivalent/ Higher	Specifications: Desktop PCs (Branded with 18.5" LED Processor: Intel i7 10 <sup>th</sup> generation Processor, 2.3 GHz with turbo boost up to 4.10, 12MB L3 Cache, RAM, 08 GB DDR4 with extra memory slots, 1TB Hard Disk RAID), Wireless Keyboard, Mouse, Wifi Enabled OR Higher			40
11	Operating System	64 Bit License Windows 10 OR Higher			40
12	UPS APC or equivalent	APC 1000VA/800W Smart UPS or Higher			40
13	UPS APC or equivalent	3KVA Branded UPS with minimum backup time four (04) hours OR Higher			2
14	Network Points	CAT6 Cable, Face Plate, I/O, Back Box, Patch Card 1m with Duct (Per point).			9
15	Network Switches 3Com or equivalent	24-port Giga bit LAN Network Switch with fiber provision, L3, switching capacity 32GBps. MAC address 12k OR Higher			30

*[Handwritten signatures and notes on the left margin]*

9

16	Panels	24 Ports Patch Panel OR Higher	6
17	Bio-metric Machines -Branded	Multi language, high verification speed, advance and user friendly UI, OR Higher	6
18	Wi-fi Routers Huawei or equivalent	4G LTE OR Higher	25
19	Data Cabinet 12U		1
20	Patch Panel 24 ports OR Higher		1
21	Fax Machine Panasonic or equivalent	Automatic Sheet feeder, 10 second per page, redial automatic and manual OR Higher	2
22	Laptop PC HP or equivalent/ Higher	Core i7 10 <sup>th</sup> generation, 8GB, 1TB, Windows 10 OS, FHD, 15.6" screen, Full Keyboard OR Higher	20
23	Computer Table - Master Brand or equivalent		40
24	Computer Chair - Master OffSys Hi Back, Fabric or equivalent		40
25	Digital Multi-function Photocopier machine Panasonic or equivalent	Speed: 50 CPM Warm up time: 19 seconds, Memory: 2GB, HDD: 320 GB, Resolution: 600 dpi Zoom: from 25% to 400% in 1% step, Paper input capacity: Standard OR Higher	2
<b>Total (Equipment &amp; Hardware)</b>			

**Terms and Conditions**

1. Tenders should be accompanied with GST, NTN Certificates.
2. Bid document can be obtained from the Administrative Officer, Office of Commissioner Inland Revenue (DT)/HOD, Muzaffarabad.
3. Call Deposit/Pay Order equal to Rs. 1.455 million (5% of the estimated value of procurement) in favor of Administrative Officer, Office of Commissioner Inland Revenue (DT)/HOD, Muzaffarabad..
4. The sealed tenders should reach the undersigned by Thursday, 02<sup>nd</sup> June 2022 at 11:00 a.m.
5. Tenders will be opened in the presence of bidders at 12:00 p.m. on the same day.
6. The successful bidders shall be required to supply the requisite items within shortest possible time of placing the order.
7. The supplier shall deliver the items at office of Commissioner, Inland Revenue (DT)/HOD, Muzaffarabad (AJ&K) at his own cost.
8. The supplier will provide warranty (free service & maintenance) of the equipment for one year on site i.e. Inland Revenue Field Offices across AJ&K.
9. The supplied items will be specifically inspected and the supplier will be required to demonstrate (if required) the functionality of the Hardware before the Purchase Committee.
10. The billed amount shall be paid to the supplier subject to a satisfactory report of the Committee.
11. All taxes and other levies applicable in AJ&K shall be charged under relevant rules/laws.
12. The Competent Authority reserves the right to reject any or all tenders without assigning reasons in terms of AJ&K Public Procurement Rules 2017.
13. The purchase process will be governed under relevant provisions of AJ&K Public Procurement Rules 2017.

*[Handwritten signatures and scribbles on the left side of the page, including a large signature that appears to be 'Abdul Qadir']*

14. Black listed Firms/Companies are prohibited for participation and all bidders shall furnish an affidavit/certificate that they are neither black listed nor in conflict with Government anywhere in territory of the State of the AJK, GB or Islamic Republic of Pakistan.
15. Advertisement is also available on AJ&K PPRA website (<https://ajkppra.gov.pk>).
16. Evaluation Report/Award of Contract shall also be displayed at AJKPPRA website.
17. The bid shall be accompanied by relevant experience and past performance, capabilities with respect to personnel, equipments, financial position, appropriate managerial capacities of the company in the relevant field.
18. The bidder shall furnish duly filed Tax Returns along with annexure(s) for the last three years.
19. The successful bidder will have to deposit the 10% of the bid value as performance guarantee.

(Zahid Aslam)

Secretary Purchase Committee/Admin Officer  
Office of Commissioner Inland Revenue (DT)/HOD, Muzaffarabad  
Ph: 05822-920627 Fax: 05822-920736

The left side of the page contains several handwritten signatures and stamps. At the top left, there is a small circular stamp with a stylized 'S' or similar symbol. Below it are several large, cursive handwritten signatures. One signature appears to be 'Zahid Aslam'. There are also some smaller, less legible signatures and stamps, including one that looks like 'Muzaffarabad' and another that might be a date or reference number.